

## GAUGE CUTTER

The **LiMAR**<sup>®</sup> Gauge Cutter was originally devised to cut and clear deposits from within the tubing. It is now also commonly used as an effective means of drifting the ID of the well during most routine Wireline interventions.

It is common practice to run a Gauge Cutter of an equal, or slightly larger OD to that of a deployable flow control device to ensure it can be run to depth, unimpeded by any restrictions.


The large bypass area through the centre of the Gauge Cutter enables it to be run through a fluid path with minimal resistance.

**TOOL APPLICATIONS:**

- To cut & clear deposits from within the tubing
- To drift a well for general servicing or subsequent wireline runs

**DESIGN FEATURES & BENEFITS:**

- Large bypass area to reduce fluid friction
- Available in a range of sizes to suit all Completion designs
- Serrated designs available to improve effectiveness on hard deposits
- Connection options to suit customer requirements
- Selected components QPQ treated
- Hexagonal flats for safe make-up & break-out



**TECHNICAL DATA**

Assembly Part No.	Nominal Tubing Size	To Suit Sizes Up To	Fish Neck	Connection
1030-XXXX-XXX-RX	2-3/8"	2.000"	Optional	Optional
1030-XXXX-XXX-RX	2-7/8"	2.500"	Optional	Optional
1030-XXXX-XXX-RX	3-1/2"	3.000"	Optional	Optional
1030-XXXX-XXX-RX	4-1/2"	4.000"	Optional	Optional
1030-XXXX-XXX-RX	5-1/2"	5.000"	Optional	Optional
1030-XXXX-XXX-RX	7"	6.250"	Optional	Optional

XXXX - Denotes OD  
 XXX - Last 3 digits of part number denotes connection type  
 For additional sizes or further information please contact [sales@limaroiltools.com](mailto:sales@limaroiltools.com)